Біогеохімія ґрунтового покриву в Антропоцені: потреби та можливості

Ю.М. Дмитрук

Чернівецький національний університет ім. Ю.Федьковича. Чернівці; Україна

ІНФОРМАЦІЯ	АНОТАЦІЯ
<p>Отримано 08.05.2018 Отримано після доопрацювання 28.07.2018 Затверджено до друку 06.08.2018 Доступно онлайн 01.10.2018</p> <p><i>Ключові слова:</i></p> <p>біогеохімія; ґрунт; екосистемні послуги; антропоцен; фон; граничні рівні; моделювання.</p>	<p>Інтенсивність трансформації компонентів біосфери протягом останніх десятиліть свідчить про докорінні зміни природних процесів і трендів антропогенними, що дозволило вченим виокремити сформовану Антропоцену в часовому етапі, названому Антропоценом. Здоров'я людини і здоров'я довкілля необхідно оцінювати з урахуванням екосистемних послуг, в яких ґрунти мають виключну роль, а значення ґрунтового покриву в біосфері залишається унікальним. Біогеохімічні взаємодії у ґрунтах відбуваються на різних рівнях і в різних часових інтервалах. Змінений антропогенними імпактами ґрунтовий покрив характеризується більшою неоднорідністю, що ускладнює оцінку його біогеохімічного статусу. Мікробні угруповання при цьому мають виключну значущість, а розуміння функцій ґрунтового покриву в біосфері та досягнення стабільного стану екосистемних послуг без урахування діяльності мікробіоти неможливе. Це вимагає перебудови методології наукових досліджень з урахуванням найновіших інструментів та підходів. Зокрема аналіз екологічних ризиків потребує трансформації схем обстеження, а визначальним у стратегії відбирання проб повинні стати показники ґрунтів. Зростає роль картографічного моделювання та районування на базі інноваційних програмних продуктів, в яких поєднано обчислення, аналіз, інтерполяцію та власне симуляцію вмісту і поведінки хімічних елементів у ґрунтах під конкретні прикладні запити та для цілей менеджменту загалом.</p> <p>Встановлення максимально допустимих концентрацій на основі екотоксикологічних досліджень – надскладне завдання, а тому й використання фонових значень або граничних рівнів залишається дискусійним. Однозначно, що характер біогеохімічних параметрів ґрунтового покриву є конкретно-регіональний, а не загальний для будь-яких територій.</p>

E-mail: y.dmytruk@chnu.edu.ua

Список цитованої літератури

1. Вернадский В.И. Об участии живого вещества в создании почв/ У книзі: Сытник К.М., Апанович Е.М., Стойко С.М. В.И. Вернадский. Жизнь и деятельность на Украине. Киев: Наукова думка, 1988. С. 186 – 214.
2. Whitmee S., Haines A., Beyrer C., Boltz F. et. al. Safeguarding human health in the Anthropocene epoch: report of The Rockefeller Foundation–Lancet Commission on planetary health // *www.thelancet.com*: Vol 386. November 14, 2015. URL: <https://www.thelancet.com/commissions/planetary-health>
3. Smith P. Cotrufo M. F., Rumpel C. et. al. Biogeochemical cycles and biodiversity as key drivers of ecosystem services provided by soils. *SOIL*. 1, 665–685, 2015; URL: www.soil-journal.net/1/665/2015/doi:10.5194/soil-1-665-2015.
4. Dominati E. A framework for classifying and quantifying the natural capital and ecosystem services of soils. *Ecological Economics*. 2010. 69. P. 1858–1868.
5. Myers S.S., Wessells K.R. Kloog I., Zanobetti A., Schwartz J. Effect of increased concentrations of atmospheric carbon dioxide on the global threat of zinc deficiency: a modelling study. *Lancet Glob Health*. 2015 Oct; 3(10): e639-45. doi: 10.1016/S2214-109X(15)00093-5. Epub 2015 Jul 15.
6. Фатеев А.І. Біофортificaція зернових культур як спосіб подолання прихованого голодування населення на мікроелементи. *Вісник аграрної науки*. 2016. №10. С. 50 – 58.
7. Rauch J.N. Global distributions of Fe, Al, Cu, and Zn contained in Earth's derma layers. *Journal of Geochemical Exploration*. 110 (2011). P. 193–201.
8. Baveye P.C. Grand challenges in the research on soil processes / RL: www.frontiersin.org/doi:10.3389/fenvs.2015.00010 / February 2015. V. 3. Article 10. P. 1-5.
9. van Oort F. Soil Processes, Pedofeatures and Microscale Metal Distributions: Relevant Study of Contaminant-Dynamics Calls for Pedology-Based Soil-Depth Sampling Strategies. *Soil Syst*. 2018, 2, 17. URL: www.mdpi.com/journal/soilsystems; doi:10.3390/soilsystems2010017.
10. Дмитрук Ю.М. Біогеохімія ґрунтового покриву природно-антропогенних екосистем Західно-Українського краю та Українських Карпат. Автореф. дис... д.б.н. Харків, 2006. 37 с.
11. Дмитрук Ю.М. Еколого-еволюційна методика оцінки фонових вмісту мікроелементів у ґрунтах. Чернівці: Чернівецький національний університет, 2016. С. 8-49.
12. Matschullat J., Ottenstein R., Reimann C. Geochemical background – can we calculate it? *Environmental Geology*. 2000. 39:9. P. 990-1000. <https://doi.org/10.1007/s002549900084>
13. Reimann C., Garrett R.G. Geochemical background – concept and reality. *Science of the Total Environment*. 2005. 350. P. 12– 27.

Soil biogeochemistry in the Anthropocene: necessity and possibility

Y.M. Dmytruk*

Yuriy Fedkovych Chernivtsi National University, Chernivtsi, Ukraine

ARTICLE INFO	ABSTRACT
<p>Received 08.05.2018 Received in revised form 28.07.2018 Accepted 06.08.2018 Available online 01.10.2018</p> <p>Keywords:</p> <p><i>biogeochemistry; soil; anthropocene; ecosystem service; background; threshold; simulation.</i></p>	<p>The intensity of transformation of the Biosphere components in recent decades suggests a fundamental change in natural process and trends by anthropogenic, which allowed scientists to select Anthroposphere. The Anthroposphere formed in the time stage, called the Anthropocene. Human health and environmental health must be assessed keeping in mind the ecosystem services in which soils have an exceptional role; also importance of soil cover in the Biosphere is unique. Biogeochemistry interactions in soils are occurring on different levels and different time scale. Soil cover under anthropogenic impact has bigger heterogeneity, so it complicates evaluation of Biogeochemistry status. Hence, the microbiota has an exceptional significance. Therefore, understanding the functions of soil cover in the Biosphere and towards achieving a sustainability of ecosystem services without considering of microbiota activity is impossible. This requires a restructuring of the research methodology, taking into account the modern equipment and approaches. In particular, the analysis of environmental risks needs the transformation of survey schemes, and soil indicators should be the defining factor in the sampling strategy. In addition, there is an increasing role of cartographic modeling and zoning based on innovative software products, which combines computation, analysis, interpolation and the actual simulation of the content and behavior of chemical elements in soils for specific application requests and for management in general. Establishing maximum allowable concentrations based on ecotoxicological studies is a great challenge. Therefore, the use of background values or threshold levels remains controversial. It is clear that the nature of the biogeochemical parameters of the soil cover is concrete-regional rather than general for any territories.</p>

*E-mail: y.dmytruk@chnu.edu.ua

Citing: Dmytruk Y.M.. 2018. Soil biogeochemistry in the Anthropocene: necessity and possibility. *Agrochemistry and Soil Science*. Collected papers. No. 87. ISSAR. Kharkiv. P. 46-51. (Ukrainian).

References

1. Vernadskij V.I. About the participation of living matter in the creation of soils. In: Sytnik K.M., Apanovich E.M., Stojko S.M. V.I. Vernadskij. Zhizn' i deyatel'nost' na Ukraine. Kyiv: Naukova dumka, 1988. P. 186–214. (Rus.).
2. Whitmee S., Haines A., Beyrer C., Boltz F. et. al. Safeguarding human health in the Anthropocene epoch: report of The Rockefeller Foundation–Lancet Commission on planetary health // *www.thelancet.com*: Vol 386. November 14, 2015. URL: <https://www.thelancet.com/commissions/planetary-health>
3. Smith P., Cotrufo M. F., Rumpel C. et. al. Biogeochemical cycles and biodiversity as key drivers of ecosystem services provided by soils. *SOIL*. 1, 665–685, 2015. URL: www.soil-journal.net/1/665/2015/doi:10.5194/soil-1-665-2015.
4. Dominati E. A framework for classifying and quantifying the natural capital and ecosystem services of soils. *Ecological Economics*. 2010. 69. P. 1858–1868.
5. Myers S.S., Wessells K.R. Kloog I., Zanobetti A., Schwartz J. Effect of increased concentrations of atmospheric carbon dioxide on the global threat of zinc deficiency: a modelling study. *Lancet Glob Health*. 2015 Oct; 3(10): e639-45. doi: 10.1016/S2214-109X(15)00093-5. Epub 2015, Jul 15.
6. Fatjejev A.I. Bioformatization of grain crops as a way to overcome the latent hunger of the population for trace elements. *News of agrarian science*. 2016. №10. P. 50–58.
7. Rauch J.N. Global distributions of Fe, Al, Cu, and Zn contained in Earth's derma layers. *Journal of Geochemical Exploration*. 110 (2011). P. 193–201.
8. Baveye P.C. Grand challenges in the research on soil processes / URL: www.frontiersin.org/doi:10.3389/fenvs.2015.00010 / February 2015. V. 3. Article 10. P. 1-5.
9. van Oort F. Soil Processes, Pedofeatures and Microscale Metal Distributions: Relevant Study of Contaminant-Dynamics Calls for Pedology-Based Soil-Depth Sampling Strategies. *Soil Syst*. 2018, 2, 17. URL: www.mdpi.com/journal/soilsystems; doi:10.3390/soilsystems2010017.
10. Dmytruk Y.M. 2006. Biogeochemistry of soil cover of natural and human ecosystems of the Western-Ukrainian region and the Ukrainian Carpathians. Author's abstract. Dis. D.b.n. Kharkiv. 37 p. (Ukr.).
11. Dmytruk Y.M. 2016. Ecological-evolutionary method of evaluation of background content of trace elements in soils. Chernivtsi: Chernivtsi national university. P. 8-49. (Ukr.).
12. Matschullat J., Ottenstein R., Reimann C. Geochemical background – can we calculate it? *Environmental Geology*. 2000. 39:9. P. 990-1000. <https://doi.org/10.1007/s002549900084>

УДК 631.46

Биогеохимия почвенного покрова в Антропоцене: потребности и возможности

Ю.М. Дмитрук

Черновицкий национальный университет им. Ю.Федьковича. Черновцы; Украина

Интенсивность трансформации компонентов биосферы на протяжении последних десятилетий свидетельствует о коренных сменах природных процессов и трендов антропогенными, что позволило ученым выделить сформированную Антропосферу во временном этапе, названном Антропоценом. Здоровье человека и здоровье окружающей среды необходимо оценивать с учетом экосистемных услуг, в которых почвы играют исключительную роль, а значение почвенного покрова в биосфере остается уникальным. Биогеохимические взаимодействия в почве происходят на разных уровнях и в разных временных интервалах. Измененный антропогенными воздействиями почвенный покров характеризуется неоднородностью, что усложняет оценку его биогеохимического статуса. Микробные ассоциации при этом имеют исключительную значимость, а понимание функций почвенного покрова в биосфере и достижение стабильного состояния экосистемных услуг без учета деятельности микробиоты невозможно. Это требует перестройки методологии научных исследований с учетом новейших инструментов и подходов. В частности анализ экологических рисков требует трансформации схем обследования, а определяющими в стратегии отбора проб должны стать показатели качества почвы. Возрастает роль картографического моделирования и районирования на базе инновационных программных продуктов, в которых соединены расчеты, анализ, интерполяция и прогноз содержания и поведения химических элементов в почвах для конкретных прикладных запросов и для целей менеджмента в общем. Установление максимально допустимых концентраций на основе экотоксикологических исследований – сверхсложная задача, а потому и использование фоновых значений или предельных уровней остается дискуссионным. Однозначно, что характер биогеохимических параметров почвенного покрова является конкретно-региональным, а не общим для всех территорий.

Ключевые слова: биогеохимия; почва; экосистемные услуги; антропоцен; фон; предельные уровни; моделирование.